CENTRAL INTELLIGENCE AGENCY

INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.

SECRET

	SECURITY	INFORMATION	
OUNTRY	Rumania	REPORT	25X1
JBJECT	Diseases in Rumania	DATE DISTR.	27 February 1953
		NO. OF PAGES	6
ATE OF INFO).	REQUIREMENT	25X
LACE ACQUIR		REFERENCES	
		/ALUATED Information	
	THE APPRAISAL (NS IN THIS REPORT ARE DEFINITIVE. OF CONTENT IS TENTATIVE. KEY SEE REVERSE)	25X1
	Laria though no epidemics occurred,	this disease was a chronic probwas found along the valley of the the green at the Yugoslav bor	lem in Rumania. he Danube River
froman on _44 af	om its delta on the Black Sea ny small lakes and swamps alon	to the area at the Yugoslav bording the river and the anopheles mediate the from the shore. 2600E7 and Oltenia /4460N-2300E/many cases of splenomegal	osquito was found The Dobrogea regions were 25X1
the du	ere was a special section whose cing malaria. This section ha	the disease. Within the Minisse responsibility it was to combad its own doctors and dispensar The fight was not was malaria Section was not administ	ies 25X1 well organized, wered as well as 25X1
br th Ru	her Health Ministry sections. eeding grounds. is procedure may nave been use mania. DDT and other insection	No aircraft were used for spraying from aircraft in Ruman ed in the Danube delta area. Dicides were made at a factory in ily in the manufacture of explosing DDT. In 1950 the plant was p	ying the manning 25X itia, but 25X IT was available in Fagaras 4551N- sives. Only one

			 								450	NOT	Amn	77		
STATE#	Y	ARMY #	x	NAVY	#	\mathbf{x}	AIR	#	х	FBI	 AEC	 DSI	/MED	Ev	<u>x</u>	
			 												+	- 1

SECRET

3. Some construction work on the Danube Canal has indirectly led to the drying up of lakes which were formerly mosquito-infested. In Lunca Prutului, north of Galati /4527N-2803E/, the Government drained certain lakes in order to acquire more ground for agriculture. It propagandized its efforts as an attempt to combat malaria, although this was not the real reason for draining the lakes. Soldiers from the Lunca Prutului area showed post-malarial symptoms.

the section of the Ministry of Health which was combatting malaria had available to it several institutes around the country.

University to attend a course in malaria problems, in order to qualify himself for a post at a so-called Malaria Institute. The university offered only a very general training for such men.

25X1

25X1

the number of such institutes must have been very small.

institutes served essentially as statistics collection offices.

5. that malaria sufferers

were rejected before induction into the armed forces. Recent droughts have dried up mosquito-breeding grounds. Rumania received no assistance from the USSR in its fight against the disease.

Typhus

4.

6. There was a nationwide epidemic of typhus in December 1945 and January 1946, and again during the same two months the following year. There were many deaths from the disease at that time

25X1

The disease broke out first in the Moldavia Region

/4000N-2700E/, it was imported from
the USSR. A famime was raging in this region at the time of the first
outbreak; food was supplied to the Rumanians at that time by the
US. The movement of the people around the country in search of
food contributed to the spread of the typhus.

7. No epidemic of typhus has occurred since the first months of 1947. In 1952 Rumania was emphasizing preventive measures to ward off a new outbreak of the disease.

was a new section of the Ministry of neather apown as the Medic Igiena, which propagandized for public attention to sanitary living. Plans were that there would be a physician from this Section in every institution and enterprise to care for the prophylactic indectrination of the populace. The use of DDT in crowded places was emphasized. Soap was very scarce in Rumania, and when it was placed on sale, long queues of prospective buyers formed. There was no anti-typhus vaccine available for general use. All typhus vaccine stores were used up during the epidemics; even at that time, there was very little, and no adequate supply is now on hand.

25

25X1.

This yaccine was probably not made in Rumania.

SECRET

25X1

-3-

only isolated cases of typhus were being reported. Physicians who reported cases of typhus were punished on the grounds that they should have prevented the disease. This caused them to falsify their reports and to avoid reporting cases of typhus and other infectious diseases. However, no typhus epidemic has occurred since 1947.

25X1

Tuberculosis

- 9. Tuberculosis was widespread in Rumania and the disease was becoming increasingly prevalent. A special section of the Ministry of Health was given the responsibility of fighting against the spread of the disease. This section had at its disposal special hospitals, sanatoriums and dispensaries reserved for tuberculosis cases. Each regiune had one the dispensary, in which usually two specialists were on duty. This dispensary had an x-ray instrument and auxiliary medical personnel. Card files were maintained on all persons with tuberculosis, and these were arranged according to locality, in order to indicate where the disease was especially prevalent. The dispensaries in Cluj were organized by Prof. (fnu) DANIELLO.
- 10. The people were also visited in their villages by tuberculosis specialists. A commission of doctors investigated conditions in a
 locality where tuberculosis was present in unusual amount or where
 it was spreading. Tuberculin, for testing, and BCG vaccine were
 available at the dispensary located in the capital city of the
 regiune, (an administrative unit approximately equivalent to a
 county. There are about 30 regiune in Rumania). BCG vaccine
 was formerly administered by a village doctor, but because of
 cases where the vaccine was improperly administered, it can now
 be administered only in the dispensary of the regiune.
- the system of tuberculosis prophylaxis,
 viz, vaccination with BCG, etc., followed in Rumania was patterned
 after the Swedish system. However, it was publicized as the
 Soviet method.

 BCG
 25X1

may also be made in Rumania at the Cantacuzino Institute.

- 12. Tuberculosis was spread by the conditions which prevail in Rumania, especially bad food, inadequate diet, overwork and ineffective prophylaxis. Bovine tuberculosis is found extensively, and, according to DANIELLO, this is the type of tuberculosis in the country.
- 13. Streptomycin was almost unavailable. Para-aminosalicylic acid (PAS) was prepared in 1949 in liquid form in the Chemistry Section of the University of Cluj, but as of 1952, it was not being produced in Rumania. These two drugs may at present be obtained from the West in personal mail packages, from which the Government extracts a part as tax. The recipient must prove that he needs the drug received in personal mail or it will be confiscated. Even though the recipient does require the drug, an arbitrary amount is removed by customs agents.
- in Rumania, Communist Party members had preference in the distribution of available drugs and appeared to have their own sources through Communist Party physicians. Treatment for tuberculosis was inadequate. Cases considered operable were sent to the special hospitals or to sanatoriums. The number of sanatorium beds was insufficient to care for all the needy cases. Dr. (fnu) CARPINISANU, a noted Rumanian surgeon, has developed pulmonary surgery to a high degree. Though he was usually

25X1

25X1

SECRET

4

employed at Bucharest he traveled throughout the country to perform necessary operations. CARPINISANU was attempting to introduce his methods among other surgeons and was making a personal effort to teach younger surgeons to use his methods.

Tuberculosis was particularly widespread in the 25X1

Maramures region /4750N-2410E7 and in the Transylvanian Alps area.

The disease was frequently detected among the armed forces personnel and it was my responsibility to see that officers and soldiers who contracted tuberculosis were discharged.

Venereal Diseases

- 15. There was no way to learn the extent of venereal diseases because health statistics were unreliable. Public statistics were false because of the policy of reporting that the total number of illnesses decreases yearly; otherwise the Regime would appear in a bad light. Public efforts were being made to wipe out VD in Rumania. The organization for its control was similar to the Anti-tuberculosis Division. There were special dispensaries in the capital of each regiune, but no special hospitals or sanatoriums existed for VD cases. There also were sections for venereal disease cases in the general hospital in each regiune.
- 16. Penicillin was employed to treat gonorrhea in Rumania. The patient was obliged to obtain his own penicillin from the black market. Sulfa drugs manufactured in Rumania were found unsuitable for treating gonorrhea. Sulfa products were imported from Czechoslovakia and were thought to be superior to Rumanian sulfa drugs, which were manufactured by the CIF factory in Bucharest. The factory had a small branch in Cluj, formerly a subsidiary firm of "Igea".
- 17. Syphilis was treated with penicillin. It was very expensive. During my medical studies, it was employed in a student demonstration to show the disappearance of spirochetes from the blood stream. Arsenic compounds and bismuth therapy were also used.
- 18. Soldiers who contracted VD were not punished, but were merely treated to ensure their recovery. When syphilis was detected in an individual, treatment was begun, and he was given a booklet explaining the effects of the treatment being employed (e.g. arsenic, bismuth or penicillin). The individual could be forced to follow the course of treatment prescribed; however, treatment might be interrupted by transfer.
- 19. Venereal diseases were most widespread in Maramures, the Banat 24380N-2100E7 and the western mountain areas. A medical certificate, stating that applicants were free from veneral diseases, was required before a marriage license was issued in Rumania.

Dysentery

20. Outbreaks of bacillary dysentery occurred sporadically during the summer months. There have been no large epidemics. There were about 100 cases in Viseul de Jos /4744N-2422E7, in the Maramures area, in 1949, which were spread 25X1 by drinking contaminated water. These cases occurred among railroad construction workers who failed to chlorinate their drinking water. there was a mild outbreak of bacillary dysentery in 1945 in my own village. Since doctors were subject to punishment if they reported cases of dysentery, minor outbreaks of the disease were not reported.

SECRET

25X1

-5-

21. Very little CIF sulfaguanidine is now available in Rumania.

Physicians were required to lecture the people on methods of preventing dysentery. The following of a special diet and avoidance of certain foods by the people, advocated during these lectures, was impractical in Rumania since the people receive such an inadequate diet that they would eat whatever they could get.

In Rumania.

25X1

Trachoma

22. This disease was rare.

25X1

Typhoid

- 23. There are regions of Rumania where typhoid was endemic and the disease appeared constantly during the summer. There have been small-scale epidemics of the disease since 1946, and there are always cases of typhoid in the hospitals. An outbreak occurred in 1948 at Odorhei /4619N-2518E/, and several cases were observed that year among soldiers. The cause was traced to a military well which had been contaminated by seepage from a sewer of a near-by hospital, in which there were typhoid patients.
- 24. An inoculation against typhoid and paratyphoid A & B (TAB) was given every year in the armed forces. The soldiers had to be forced to take their inoculations. Civilians were also obliged to receive this inoculation, but only about 10% complied. Physicians falsified their reports and indicated that all civilians had received their immunizations.

Paratyphoid

25. It is difficult to know the extent of paratyphoid in Rumania.

Reports of such intestinal diseases were frequently combined so that it was not possible to know the complete picture. All intestinal diseases were a serious problem.

it would be
25X1 necessary to institute an epidemiological study to establish the sources of infection of all intestinal disease outbreaks.

Avitaminosis

there were indications of Vitamin D. C. A. B and
Niacinamid deficiencies among the population.

Scarcity of food brought about by the steady exportation of
Scarcity of food items were apparently taken off the market
for export to the USSR. Milk was scarce but would have been
drunk by children if it had been available. However, milk and
butter, a large amount of meat, eggs, and grain were shipped to
the USSR. There was a sharp contrast between the normal availability
of food and the supplies available to the Rumanian consumer at this
time. The undernourishment of the people was obvious to the
casual observer. Pigs, which were always an export item, were
scarce in 1952. Potatoes, fruits, grapes and wines were disappearing
from the market. There was a sharp increase in the average consumption
of alcohol, e.g., in brandies, by the population.

		Approved Fo	r Release 2009/02	/05 : CIA-RDP80-0	00810A0004	100030007-0		
ā . , ,				SECRET			25	X1
			*	-6-				
Poli	omyelit	is		0,				
27.	Mhone	wee a nol:	Lomyelitis pa	ndemic in 19	46 or 19	47 in Ruman	la, but	e'
	since	that time	very few cas	es have occu	rred.	the		25X1
	were	two 1ron 11	ings in Buchs	rest.				
Diph	theria							
28.	9. 9. 4	0	Pan ite contr	s widespread ol were avai uri si Vacci	rable ir	OW AND ACTION	r a acuzino	
Infl	uenza			,			·	
		ng enidemi	es of influer	za, some of	them dan	gerous, occ	arred	
- 7.	every	year in R	umania. Thei	re were two f 1951. Both p 1958 were lost	ersons d	ied from in	testinal	
•	the d	isease.						25 X 1
Reau	rrent	Faver						
20	Cases	of this d	1 (1 A)	red but it wases which occ	DILLEG MC	TO DECTACE		
	were	always som	e cases of re	current feve	r in the	Headingra.		25X1
	01100	micht bave	had more ca	ses than othe	r region	the Mol	davia	
			23300 2302					
	let Fe	AN OFFICE AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IN COLUMN TO ADDRESS OF THE PERSON NAMED IN COLUMN TO ADDRESS O			on 4 demi	aa of a mir	inte	
31.	and all the said the	A A SEA SOUTH THE		. There were tonally the last the scar			, , , ,	
Smal	lpox	e e		·				
32.	This for i	disease di noculation	d met appear against it	in Rumania. from the Can	Vaccine acuzino	could be of Institute.	btained	
Teta	avas		•				25X	1
33.	regul with	arly carri the typhoi nation of it resemi	ed out. The d, paratypho these vaccin	personnel as serum was mid A & B (TAI es was called to polyvaccine)	lxed perc b) yearly la Bogon he of the	inoculation in included in its polyter in its polyt	raccine,	25 X 1
	vacci	lnes.		•	was sai	Ld to contai	n meny	
Rab:		-				· .		٠,
-	This	disease ex	cisted but wa	s not widesp	read. A	few cases	curred	
Anti	hrax			•	•			
-	- Ph1 s	disease w	as rare, but monstration t	cases were a	lways ava	ailable in	the	
Cho		nd Plague			7		•	
36.			ases of these	diseases in	Rumania		25X	(1
Ju.				SRCRET	•			

Approved For Release 2009/02/05 : CIA-RDP80-00810A000400030007-0